

PROSPEC SPECIALTIES "ROLLET SUPER"

### LEVEL BASE FRAME INSTALLATION



# Section Detail




#### **DETAIL NOTES:**


- 1 Mat Wipers must run perpendicular to traffic direction.
- 2 Wipers are available in Black colour only.
- ${\bf 3}$  Mat-Well frames available upon request.
- 4 Installation to be completed in accordance with manufacturer's specifications.
- 5 All Dimensions are considered true and reflect manufacturer's specifications.

- 6 Do not scale drawing.
- 7 Maximum single grid size not to exceed 16.4'(5000mm)left to right X 6.56'(2000mm) front to back.
- 8 Weight 24.25 lbs per Square Meter.
- 9 Max rolling load / wheel, Recessed installation 1200 lbs.
- 10 All surfaces in contact with masonry are to receive a coat of Zinc Chromate Premier.
- 11 Bigger grids be created on site by interconnecting small mats.
- 12 Please specify open / closed construction.

PROJECT:		DRAWN BY : SJ	PROSPEC
CONSULTANT:	MATTING CODE :	CHECKED BY :	SPECIALTIES
INTERIOR DESIGN:	OFFER NO:	SCALE : NTS	<b>3601 HIGHWAY 7, SUITE 400</b>   MARKHAM ON L3R 0M3, CANADA

### LEVEL BASE FRAME WITH DRAIN INSTALLATION






#### **DETAIL NOTES:**

- 1 Mat Wipers must run perpendicular to traffic direction.
- 2 Wipers are available in Black colour only.
- ${\bf 3}$  Mat-Well frames available upon request.
- 4 Installation to be completed in accordance with manufacturer's specifications.
- 5 All Dimensions are considered true and reflect manufacturer's specifications.

- 6 Do not scale drawing.
- 7 Maximum single grid size not to exceed 16.4'(5000mm)left to right X 6.56'(2000mm) front to back.
- 8 Weight 24.25 lbs per Square Meter.
- 9 Max rolling load / wheel, Recessed installation 1200 lbs.
- 10 All surfaces in contact with masonry are to receive a coat of Zinc Chromate Premier.
- 11 Bigger grids be created on site by interconnecting small mats.
- 12 Please specify open / closed construction.

PROJECT:		LS : YE NWASH	© PROSPEC
CONSULTANT:	MATTING CODE :	CHECKED BY :	SPECIALTIES
INTERIOR DESIGN:	OFFER NO:	SCALE : NTS	<b>3601 HIGHWAY 7, SUITE 400</b>   MARKHAM ON L3R 0M3, CANADA

## LEVEL BASE FRAME WITH DRAIN AND PAN INSTALLATION



#### DETAIL NOTES:

- 1 Mat Wipers must run perpendicular to traffic direction.
- 2 Wipers are available in Black colour only.
- 3 Mat-Well frames available upon request.
- 4 Installation to be completed in accordance with manufacturer's specifications.
- 5 All Dimensions are considered true and reflect manufacturer's specifications.

- Section Detail 2" (50mm) General Purpose PVC Drain with SS Strainer 1 13/16" [51.0mm] [46.2mm] [12.0mm] Cassettes of Silver Anodized Extruded Aluminum Alloy 6063-T6 Duro Meter **PVC Cushions** (Open/Closed) 16 gauge Aluminum Pan (By others) Screed Anchoring Screw
  - 6 Do not scale drawing.
  - 7 Maximum single grid size not to exceed 16.4'(5000mm)left to right X 6.56'(2000mm) front to back.
  - 8 Weight 24.25 lbs per Square Meter.
  - 9 Max rolling load / wheel, Recessed installation 1200 lbs.
  - 10 All surfaces in contact with masonry are to receive a coat of Zinc Chromate Premier.
  - 11 Bigger grids be created on site by interconnecting small mats.
  - 12 Please specify open / closed construction.

PROJECT:		DRAWN BY : SJ	PROSPEC
CONSULTANT:	MATTING CODE :	CHECKED BY :	SPECIALTIES
INTERIOR DESIGN:	OFFER NO:	SCALE : NTS	<b>3601 HIGHWAY 7, SUITE 400</b>   MARKHAM ON L3R 0M3, CANADA